

INTERACTIVE SAT UPS 750 VA 220V / 360 W

SAT UR750+220 VAC LED



FEATURES

- ✓ CPU Controlled.
- ✓ Automatic Restart when AC Voltage is Detected.
- ✓ Silent Mode Configuration.
- ✓ Low Battery Voltage Protection.
- ✓ Overvoltage and Short-Circuit Protection.
- ✓ Wide Input Voltage Range.

DESCRIPTION

The SAT UR750+ Interactive UPS is a reliable backup power source with a 360W capacity, designed to protect essential equipment in offices, homes, and small businesses. This model features 6 power outlets, with 4 battery-backed outlets to supply power during outages, and 2 outlets with voltage regulation to stabilize connected devices. Its compact design ensures efficient equipment arrangement and optimizes energy consumption.

Equipped with a 12V/7Ah internal battery, this unit provides 5 to 7 minutes of backup time (depending on the connected load). Under full load, it offers sufficient time to safely save data and shut down devices during prolonged outages. The integrated Automatic Voltage Regulation (AVR) system safeguards against overloads and voltage spikes, stabilizing the power supply and preventing damage to connected equipment.

Additionally, this new model ensures seamless transitions to backup mode thanks to its fast transfer time of 2 to 7 milliseconds (maximum 10ms), minimizing workflow interruptions. To ensure confidence in your investment, the unit includes a 2-year warranty covering both the device and batteries, ensuring a reliable and long-lasting investment in the electrical protection of critical devices.



Protection Against Outages: The SAT UPS provides instant backup power during outages, preventing data loss and interruptions to critical operations.

Voltage Stabilization: Regulates the voltage supplied to connected equipment, protecting it from variations, spikes, and drops in voltage that can damage components.

By keeping systems operational during power interruptions, downtime is avoided, allowing employees to



TARGET MARKETS AND USES



Currency Exchange





















Productivity Maintenance:

continue working seamlessly.












SPECIFICATIONS	DESCRIPTION	
MODEL	750VA / 360W	
	120 V AC	220 V AC
	INPUT	
INPUT VOLTAGE	110 - 120 V AC	220 / 230 / 240 VAC
INPUT VOLTAGE RANGE	85 - 150 V AC	145 - 290 V AC
FREQUENCY RANGE	45 - 65 Hz	
	OUTPUT	
OUTPUT VOLTAGE	110 / 120 VAC	220 / 230 / 240 VAC
OUTPUT VOLTAGE RANGE	102 - 132 VAC	200 - 255 VAC
OUTPUT FREQUENCY	60±0.5Hz	50±0.5Hz
OUTPUT WAVEFORM	PWM (Battery Mode)	
TRANSFER TIME	Typically 2 to 6 ms, Maximum 10 ms	
	BATTERY	
BATTERY TYPE & CAPACITY	12V - 7AH x 1 pcs	
CHARGING TIME	4 - 6 Hours to recover 90% capacity	
	PROTECTION	
FULL PROTECTION	Protection against low voltage, overload, and short circuit	
	PHYSICAL	
NET WEIGHT	3.9 Kg	
DIMENSIONS	284 x 94 x 140 (mm)	
	ENVIROMENT	
OPERATING CONDITIONS	Temperature 0°C~40°C, Humidity 20%~90%	
NOISE LEVEL	Less than 40 Db	
	MANAGEMENT	
LCD or LED, RJ45/11 y USB	Optional	

UPS AUTONOMY


MODEL	POWER LOAD	BACKUP TIME (Minutes)
	(Watts)	
SAT UR750+	15	165
	25	97
	35	68
	40	59
	50	46
	60	38
	75	30
	100	21
	125	16
	150	13
	200	9
	300	6





MONITORING CONTROL

- 1. ON / OFF Switch
- AC / Backup Status (in AC mode, the LED remains continuously lit; in backup mode, the LED blinks every 8 seconds).
- 3. Battery Status / Charge Level.





MONITORING CONTROL

SAT interactive UPS systems are ideal for offices, small businesses, and homes, protecting equipment such as computers, printers, servers, and entertainment systems.

They are also useful in retail environments for point-of-sale systems and security cameras, as well as in educational or medical settings, safeguarding essential electronic and medical equipment during power disruptions.

BATTERY BANK (ONLINE UPS ONLY)

All SAT Online UPS models are equipped with a slot for connecting additional battery banks, enabling easy extension of backup time. This feature is ideal for businesses requiring continuous and flexible power protection, adapting to the demands of diverse environments and ensuring greater autonomy during power outages.









EXTENSIVE SAT UPS PORTFOLIO

At SAT, we offer a wide range of power solutions with both online and interactive UPS systems, tailored to diverse needs. Our portfolio includes interactive models from 600VA to 2000VA and online UPS systems ranging from 1KVA to 20KVA, available in single-phase, two-phase, and three-phase configurations. These solutions deliver reliable protection for any environment, ensuring the continuity of your critical operations.